

HPD UNIQUE IDENTIFIER: 23104

CLASSIFICATION: 22 42 16.13 Commercial Lavatories

PRODUCT DESCRIPTION: Sloan lavatories are white vitreous china exchangeable devices that can be connected to a plumbing system to deliver and drain water and are designed to help conserve water. Sloan lavatories are made of vitreous china with an overflow, are available for wall-hung or countertop installation, and may include the following options: backsplash, wheelchair access, and 4" (102 mm), 8" (203 mm), or single-hole centerset punching. Sloan lavatories are IAPMO certified to meet or exceed ASME A112.19.2 standards and meet ADA guidelines and ANSI A117.1 requirements.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

<p><b>Inventory Reporting Format</b></p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p><b>Threshold Disclosed Per</b></p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p><b>Threshold level</b></p> <p><input checked="" type="radio"/> 100 ppm</p> <p><input type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p><b>Residuals/Impurities</b></p> <p><input checked="" type="radio"/> Considered</p> <p><input type="radio"/> Partially Considered</p> <p><input type="radio"/> Not Considered</p> <p><b>Explanation(s) provided for Residuals/Impurities?</b></p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p><b>Characterized</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p><b>Screened</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p><b>Identified</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances disclosed by Name (Specific or Generic) and Identifier.</i></p>
--	--	--	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**  
**SLOAN LAVATORIES [ KAOLIN, CALCINED LT-UNK QUARTZ LT-1 |**  
**CAN FELDSPAR POWDER NoGS IRON OXIDE LT-UNK TITANIUM**  
**DIOXIDE LT-1 | CAN | END ]**

Number of Greenscreen BM-4/BM3 contents ... 0  
 Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1  
 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: Inherently non-emitting source per LEED  
 Other: Environmental Product Declaration (EPD) by SCS

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER: WAP Sustainability Consulting

VERIFICATION #: zPr-11099

SCREENING DATE: 2020-10-07

PUBLISHED DATE: 2020-12-07

EXPIRY DATE: 2023-10-07

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### SLOAN LAVATORIES

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Sloan Valve Company worked with a Third Party HPD Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD.

OTHER PRODUCT NOTES:

#### KAOLIN, CALCINED

ID: 92704-41-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-07

#: 44.5000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Ceramic body

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance contains a certain amount of iron oxide and titanium dioxide as impurities. On this HPD, the substance is part of a ceramic material. Ceramic production melds constituent substances into a single, highly durable material matrix. The listed hazards are not expected to be available under the normal use of this product.

#### QUARTZ

ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-07

#: 33.3000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Ceramic body

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: On this HPD, the substance is part of a ceramic material. Ceramic production melds constituent substances into a single, highly durable material matrix. The listed hazards are not expected to be available under the normal use of this product.

## FELDSPAR POWDER

ID: 12168-80-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-07**

#: **22.2000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Flux**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance may contain a certain amount of iron oxide and titanium dioxide as impurities. On this HPD, the substance is part of a ceramic material. Ceramic production melds constituent substances into a single, highly durable material matrix. The listed hazards are not expected to be available under the normal use of this product.

## IRON OXIDE

ID: 1332-37-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-07**

#: **Impurity/Residual** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is an impurity present in kaolin clay and feldspar. A range in mass percentage is given to represent the worst-case scenario. On this HPD, the substance is part of a ceramic material. Ceramic production melds constituent substances into a single, highly durable material matrix. The listed hazards are not expected to be available under the normal use of this product.

## TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-10-07**

#: **Impurity/Residual** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: This substance is an impurity present in kaolin clay and feldspar. A range in mass percentage is given to represent the worst-case scenario. On this HPD, the substance is part of a ceramic material. Ceramic production melds constituent substances into a single, highly durable material matrix. The listed hazards are not expected to be available under the normal use of this product.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	Inherently non-emitting source per LEED		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: N/A CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2020-10-07	EXPIRY DATE:	CERTIFIER OR LAB: N/A
OTHER	Environmental Product Declaration (EPD) by SCS		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: China Facility CERTIFICATE URL: <a href="https://www.scs-certified.com/products/cert_pdfs/SCS-EPD_04677_Sloan_Lavatories_050719.pdf">https://www.scs-certified.com/products/cert_pdfs/SCS-EPD_04677_Sloan_Lavatories_050719.pdf</a> CERTIFICATION AND COMPLIANCE NOTES: Product Category Rule PCR for Building-Related Products and Services in North America. Adapted for UL Environment from the range of EPDs of the Institute Construction and Environment e.V. (IBU). Part A: Life Cycle Assessment Calculation Rules and Report Requirements. Version 2.0. June 2017. Part B: Requirements on the EPD for Sanitary Ceramics. V1.1. December 2015.	ISSUE DATE: 2017-10-02	EXPIRY DATE: 2022-10-01	CERTIFIER OR LAB: SCS Global

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

<b>PLUMBER'S PUTTY</b>	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Plumber's putty is needed for the initial installation of the drain and pop-up when installing the faucet, following the manufacturer's specifications.	
<b>SILICONE SEALANT</b>	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Silicone sealant is needed for mounting during the initial installation. The general VOC content for this material type is: 28 g/L.	

## Section 5: General Notes

All of the fixtures covered within this HPD are manufactured in our state of the art, Leadership in Energy and Environmental Design (LEED) Silver, zero municipal water facility in China. This facility was designed to capture rainwater and store it in underground storage tanks where it is then processed to drinking water quality. This water is then used to support the entire engineering center; from test benches and restrooms to showrooms and landscaping. Sloan lavatories are white vitreous china exchangeable devices that can be connected to a plumbing system to deliver and drain water and are designed to help conserve water. Sloan lavatories are made of vitreous china with an overflow, are available for wall-hung or countertop installation, and may include the following options: backsplash, wheelchair access, and 4" (102 mm), 8" (203 mm), or single-hole centerset punching. Sloan lavatories are International Association of Plumbing and Mechanical Officials (IAPMO) certified to meet or exceed American Society of Mechanical Engineers (ASME) A112.19.2 standards and meet American with Disabilities Act (ADA) guidelines and American National Standards Institute (ANSI) A117.1 requirements.

**MANUFACTURER INFORMATION**

**MANUFACTURER:** Sloan Valve Company  
**ADDRESS:** 10500 Seymour Ave  
 Franklin Park IL 60131, USA  
**WEBSITE:** www.sloan.com

**CONTACT NAME:** Patrick Boyle  
**TITLE:** Director, Corporate Sustainability  
**PHONE:** 847.233.2082  
**EMAIL:** Patrick.Boyle@sloan.com

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	<b>NoGS</b> No GreenScreen.

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*